

API Documentation

Send SMS:

GET & POST:

http://api.icombd.com/api/v1/campaigns/sendsms/plain?username=YOUR_USERNAME&password=YOUR_PASSWORD&sender=YOUR_SENDER&text=TEST_MESSAGE&to=88017XXXXXXXX,88018XXXXXXXX

Parameter Key	Value	Description
username	User Name	Your Login User Name
password	Password	Your Login Password
sender	Your Sender ID	Your Sender ID
to	Recipient Mobile Number	comma-separated mobile numbers Exp: 8017XXXXXXXX,88018XXXXXXXX...
text	SMS body	N.B: Please use url encoding to send some special characters like &, \$, @ etc

php script

```
<?php
$curl = curl_init();
$data = [
    "username"=>"YOUR_USERNAME",
    "password"=>"YOUR_PASSWORD",
    "sender"=>"YOUR_SENDER",
    "message"=>"A text message sent using Messaging Service",
    "to"=>"88017XXXXXXXXX,88018XXXXXXXXX"
];
curl_setopt_array($curl, array(
    CURLOPT_URL => "http://api.icombd.com/api/v2/sendsms/plaintext",
    CURLOPT_RETURNTRANSFER => true,
    CURLOPT_ENCODING => "",
    CURLOPT_MAXREDIRS => 10,
    CURLOPT_TIMEOUT => 30,
    CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
    CURLOPT_CUSTOMREQUEST => "POST",
    CURLOPT_POSTFIELDS => json_encode($data),
    CURLOPT_HTTPHEADER => array(
        "Content-Type: application/json",
    ),
));
$response = curl_exec($curl);
$error = curl_error($curl);
curl_close($curl);
if ($error) {
    echo "cURL Error #:" . $error;
} else {
    echo $response;
}
```

JavaScript

```
var settings = {
  "async": true,
  "crossDomain": true,
  "url": "http://api.icombd.com/api/v3/sendsms/plain",
  "method": "POST",
  "headers": {
    "content-type": "application/x-www-form-urlencoded",
  },
  "data": {
    "user": "YOUR_USERNAME",
    "password": "YOUR_PASSWORD",
    "sender": "YOUR_SENDER",
    "text": "A text message sent using Messaging Service",
    "to": "88017xxxxxxxx,88018xxxxxxxx"
  }
}
$.ajax(settings).done(function (response) {
  console.log(response);
});
```

Node.js

```
var request = require("request");
var options = { method: 'POST',
  url: 'http://api.icombd.com/api/v3/sendsms/plain',
  headers:
    { 'content-type': 'application/x-www-form-urlencoded' },
  form:
    { user: 'YOUR_USERNAME',
      password: 'YOUR_PASSWORD',
```

```

sender: 'YOUR_SENDER',
text: 'A text message sent using Messaging Service',
to: '88017xxxxxxxx,88018xxxxxxxx' } };
request(options, function (error, response, body) {
  if (error) throw new Error(error);
  console.log(body);
});

```

Delivery Report

Delivery Report: (**GET Method**)

http://api.icombd.com/api/v1/message-logs/get-report?username=YOUR_USERNAME&password=YOUR_PASSWORD&messageId=MESSAGE_ID

Check Balance

Check Balance: (**GET Method**)

http://api.icombd.com/balance?username=YOUR_USERNAME&password=YOUR_PASSWORD

Error Code & Meaning

Error Code	Meaning
203	Sender Mismatch
203	Invalid mobile number
	Message body is empty
401	Invalid User Name & Password
	Internal Error
203	Insufficient Balance